



The SLP-2FAE 3D i-see Sensor Grille is available for both the Mr Slim SLZ-KF-VA and City Multi VRF PLFY-VFM-E range of 600 x 600 4-way blow ceiling cassettes.

Key Features

- 360° highly accurate sensor
- Human body temperature, room occupancy and position detection
- Energy saving modes
- Direct / Vane settings
- PAR-32MAA remote controller required




COMPATIBLE MODEL RANGE	MODEL SIZES
SLZ-KF-VA MR SLIM SINGLE PHASE	SLZ-KF25VA2 / SLZ-KF35VA2 / SPZ-KF50VA2 / SLZ-KF60VA2
PLFY-VFM-E CITY MULTI VRF	PLFY-P15VFM / PLYF-P20VFM / PLYF-P25VFM / PLYF-P32VFM / PLYF-P40VFM / PLYF-P50VFM

3D i-see Sensor Technology

The Mitsubishi Electric 3D i-see Sensor is one of the most advanced available on the market. It is uniquely embedded in the grille and offers the very best demand control of air conditioning available.

The sensor is able to detect not only if a space is occupied, but also how many people are present. Heating and cooling are adjusted to the exact requirements of occupants - while also ensuring energy efficiency.



Ceiling Cassette
Slim-line 600 x 600 (4-way blow)



3D i-see Sensor
(comes with the grille)



PAR-32MAA
Wired Remote Controller



Telephone: 01707 282880

email: air.conditioning@meuk.mee.com web: www.airconditioning.mitsubishielectric.co.uk

UNITED KINGDOM Mitsubishi Electric Europe Living Environmental Systems Division
Travellers Lane, Hatfield, Hertfordshire, AL10 8XB, England General Enquiries Telephone: 01707 282880 Fax: 01707 278881

IRELAND Mitsubishi Electric Europe Westgate Business Park, Ballymount, Dublin 24, Ireland
Telephone: Dublin (01) 419 8800 Fax: Dublin (01) 419 8890 International code: (003531)

Country of origin: United Kingdom – Japan – Thailand – Malaysia. ©Mitsubishi Electric Europe 2016. Mitsubishi and Mitsubishi Electric are trademarks of Mitsubishi Electric Europe B.V. The company reserves the right to make any variation in technical specification to the equipment described, or to withdraw or replace products without prior notification or public announcement. Mitsubishi Electric is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. All goods are supplied subject to the Company's General Conditions of Sale, a copy of which is available on request. Third-party product and brand names may be trademarks or registered trademarks of their respective owners.



Note: The fuse rating is for guidance only. Please refer to the relevant databook for detailed specification. It is the responsibility of a qualified electrician/electrical engineer to select the correct cable size and fuse rating based on current regulation and site specific conditions. Mitsubishi Electric's air conditioning and heat pump systems contain fluorinated greenhouse gases R410A, R407C and R134a.



www.greengateway.mitsubishielectric.co.uk

Mitsubishi Electric UK's commitment
to the environment



Follow us @meuk_Jes
Follow us @green_gateway



Mitsubishi Electric
Living Environmental Systems UK



mitsubishielectric2

Effective as of May 2016